## Adoption of Innovations by Small Ruminant Farmers in Tolon-Kumbungu District: The Effects of Farmer Socio-Economic Characteristics

Hamza Adam<sup>1</sup>
Department of Community Development
Faculty of Planning and Land Management,
University for Development Studies, Wa Campus, Wa
0244- 995049; Email: hamzeet@yahoo.com

Paschal B. Atengdem
Department of Agricultural Extension
College of Agriculture and Consumer Sciences
University of Ghana, Legon
0244263156; Email: atengdem@ug.edu.gh

Seidu Al-hassan

Department of Economics & Entrepreneurship Development,
Faculty of Integrated Development Studies
University for Development Studies, Wa Campus, Wa
0244 217888; Email: zodaseidu@yahoo.com

<sup>&</sup>lt;sup>1</sup> Corresponding author.

#### **ABSTRACT**

The rearing of small ruminants plays a major role in the farming system of the people in the Tolon-Kumbungu District of the Northern Region of Ghana. Small ruminant production is a major source of livelihood to over 70% of the inhabitants of the District. However, poor husbandry practices have often served as a major constraint to achieving production and productivity increases. This implies that small ruminant farmers need to adopt innovations in order to promote and sustain small ruminant production. This present paper assesses the extent to which innovations introduced to the farmers in the study area are adopted. Another objective was to identify and analyse the factors which influence adoption of small ruminants' innovations. A total of 120 small ruminant farmers were selected for the study using snow ball, and questionnaires and personal observations employed for the data collection. 12 communities were randomly selected from four Ministry of Agriculture operational zones. Data were analyzed using SPSS computer software package and descriptive statistics computed based on the data. Cross tabulation and other test statistics were used to determine the relationship between adoption levels and the variables studied. The findings show that, socio-economic characteristics such as extension contacts and credit access showed significance with respect to adoption of most of the innovations. Therefore, if adoption level is to be enhanced, attention should be focused more on training of more agriculture extension agents (AEAs) to increase their number in the area, as well as making affordable credit available and accessible to the farmers to expand their farms.

**Key words**: Adoption, animals, credit, extension and small ruminants

#### Introduction

Ghana's economy is largely agro-based with the livestock sub-sector contributing about 25-30 percent to agriculture Gross Domestic Product (GDP) (ISSER, 2004). Livestock keeping makes significant contribution to rural livelihood. It provides employment and serves as a source of wealth creation for reducing poverty. Koney (1992) documented that people keep animals as a source of wealth and meeting of social and cultural obligations (payment of dowry, festivals, and funeral performances). Animals may also be kept for work, sports, religious and bride price reasons (Turner, 2007). In most cases livestock is the source of cash income for subsistence farmers as well as endurance of family purchasing power in the event of unprofitable agriculture due to natural calamities (Rahman, 2007).

The Northern Ghana, comprising the Upper East, Upper West, and Northern Regions is recognized as a livestock hub of the country (Dei et all., 2007). The region is well known for the production of rural poultry (25%), sheep (30%), goats (35%), pigs (40%), and cattle (70%); and ranked first in terms of livestock production (Veterinary Services Department, 1997).

ISSER in 2006 reported that livestock production in Ghana is low compared to demand. This is attributable to the fact that the potential to develop and expand the animal sector is not fully tapped (Huq, 1989). Agtax (1996) argues that the country has a high potential to become self-sufficient in animal production, yet large quantities of meat are imported to

meet demand. Meat imports for beef, buffalo, mutton, chicken and pork has been rising during the period 2004 and 2007 (Table 1).

**Table 1: Distribution of meat imports (2004-2007) – Metric Tons** 

Type of Meat	2004	2005	2006	2007
Beef	2,419.4	6,331.7	9,578.49	16,250.37
Buffalo	1,169.2	2,257.1	4,498.96	8,108.95
Mutton	1,797.1	3,640.8	4,445.04	6,887.07
Chicken	34,265.8	40,591	40,429	63,276.29
Pork	7,145.1	10,286.8	11,777.56	10,551.50

Source: MOFA, 2007.

Small ruminant innovations are aimed at improving production and productivity as a means of ensuring increasing meat production, consumption as well as rural family income diversification. Until in the 1990s, small ruminant innovations were not much emphasized in Ghana. This is because there were no major projects on livestock, including small ruminants. The first major project on livestock was the National Livestock S Project (NLSP) which started in July 1993. The NLSP promoted education on small ruminant innovations. Interventions through the NLSP did not, however, meet the desired impact due to short duration and implementation problems (MOFA, 2008). In July 2003, the Livestock Development Project (LDP) was also launched to improve livestock production. All these projects emphasized improved husbandry practices in order to boost livestock production and productivity in Ghana. In connection with that, a number of small ruminant innovations have been introduced to the farmers across the country since the 1990s. Examples of the innovations are improved housing, supplementary feeding, record keeping, forage conservation and utilization, improved breeding, prophylactic treatment, castration and general care and management. Agricultural institutions have been resourced by the government to carry out research and come out with technological innovations to be transferred to farmers by extension agents.

With all these ideas and efforts farmers are expected to adopt the innovations developed by the research institutions so as to be able to increase food production. The extent to which these innovations have been adopted by the farmers has not been well researched. Particularly, the socio-economic factors that govern the adoption of innovation have not been researched into. Previous works have placed much emphasis on adoption by crop farmers (Jatoe et al., 2005) and the economic importance of livestock as well as the challenges of adoption with little emphasis on adoption by small ruminant producers (Ogunlana, 2003 and Latoper, 2001). If agricultural technologies developed for farmers in developing countries are not transferred to farmers in a correct (appropriate) manner and adopted accordingly, then all efforts by researchers who developed these new technologies would be in vain (Rahman, 2007). Nevertheless, farmers' ability to adopt these innovations largely depends on their socio-economic characteristics (Rahman, 2007). The need to identify the socio-economic factors that contribute positively or otherwise to the adoption of new livestock technologies in the Tolon-Kumbungu District cannot be overemphasized. This present study attempts to provide answers to the following research questions: what are the small ruminant production technologies in the Tolon-Kumbungu District and to what extent do farmer socio-economic factors affect their adoption of these technologies?

The overall objective of the paper is to determine the extent to which innovations have been adopted by small ruminant farmers in the Tolon-kumbungu district of the Northern Region of Ghana. The specifically identifies and analyses the small ruminant production

innovations in the study area and determines the effect of farmer socio-economic factors (farm size, income, credit access, extension contact, farm education exposure and farming experience) on adoption of small ruminant production innovations<sup>2</sup>. The rest of the paper deals with the conceptual framework, methodology, results and discussion of results and conclusions and recommendations.

#### **Conceptual Framework**


Farmers' decisions to adopt an innovation revolve around cost of innovations, frequency of extension contact, cultural factors and adequacy of knowledge of the innovations. Rogers (2003) states that innovation-decision is made through a cost-benefit analysis where the major obstacle is uncertainty. Farmers will adopt an innovation if they believe that it will, all things considered, enhance their utility. Harrison (1986) also noted that the first factor limiting pasture improvement is cost in relation to the expected returns and to the reliability of establishment and persistence. Adoption of innovations has been hypothesized to be influenced by both personal and socio-economic characteristics of potential adopters (Figure 1). It is expected that the socio-economic characteristics would influence the farming system operated by the potential adopter, which would in turn influence his decision to adopt or not to adopt an innovation. Again, the farming system as well as the kind of innovation being introduced would have direct influence on the decision to adopt or not to adopt the innovations. Farmer motives and livelihood needs would have some interaction. Farmer motive for small ruminants innovation adoption would also be influenced by his motives and livelihood needs which will in turn influence

\_

<sup>&</sup>lt;sup>2</sup> Farmer demographic characteristics like age, sex, etc are excluded in the analysis because these factors are beyond the control of the farmer.

adoption. Sometimes, the compatibility of the farming system of the potential adopter to the innovations packaged would influence adoption of the innovations.

**Figure 1: Conceptual Framework** 



Source: Authors own construct, 2008.

## Methodology

### Description of the study area

The Tolon/Kumbungu District (TKD) is one of the districts created by the erstwhile Provisional National Defense Council (PNDC) Law 207 in 1988 with Tolon as its Capital. The District covers an area of about 2,741 square kilometers and forms about 3.9% of the total landmass of the Northern Region. The District, which lies between latitude 10-20 north and Longitude 10 to 50 west, shares border with West Mamprusi District in the North, West Gonja District in the West and South and the East with Savelugu/Nanton District and the Tamale Municipal Assembly. With an annual growth rate of about 2.8%, the population is estimated at 145,876 with male representing 50.1% and female 49.9% of the number. The district has four agricultural operational zones, namely, Tolon zone, Kumbungu zone, Nyankpala zone and Waantugu zone.

Over 80% of the people are poor. As such the district suffers from high rate of outmigration by young boys and girls to places like Accra, Kumasi, Tema and Sekondi-Takoradi in search of jobs. Animal production is low despite the huge potential for enhancing small ruminant production in commercial quantities. Adoption of innovations in farming has the potential of improving upon their farming as well as reducing poverty in the area, which could go a long way to reduce the migration of young women from the area to the south. The study results show that on average, livestock farmers age 40 years with about 86% of the farmers having no formal education (Tolon-Kumbungu District Assembly, 2008). The Assembly reported in 2008 that the average household size of

small ruminant farmers is high (10) with many of them engaged in the rearing of goats (78%) and sheep (87%).

### **Sampling procedure**

The sampling was done at two levels. At the village level, twelve (12) villages were randomly sampled from the four MOFA operational zones in the district. The selection was based on a list of villages characterized by high rate of small ruminant production provided by MOFA. Specifically, Tolon, Tingoni and Waribogu communities were selected from zone one (Tolon zone) whereas communities like Kumbungu, Vagu Kpalsogu and Zangbalung were drawn from zone two (Kumbungu zone). Finally, Cheyohi, Mbanaayili and Bognaayili were selected from zone three (Nyankpala zone) followed by Waantugu, Yepalsi and Kpanyili from the Waantugu zone. At the individual farmer level, simple random sampling was used to sample ten (10) small ruminants' farmers from each community, bringing the total number of respondents to 120. Personal observations were also made to confirm issues on the ground.

#### **Data analysis**

The independent variables used in the study are education level, family size, number of sheep, number of goats, income from sheep, income from goats, extension contact, farming experience, farm education exposure and credit received. Adoption was measured using level of practice. Respondents practicing the innovations in full were classified as "adopted", those combining new and old practice were termed as "partially

adopted" and those practicing the entire old practice termed as "not adopted". To ensure that the data was amenable to the statistical test, "fully adopted" and "partially adopted" were combined and labeled as "adopted". The chi-square test was conducted to determine whether level of adoption of innovations was influenced by the independent variables (socio-economic characteristics). The independent variables were cross-tabulated with the dependent variable and chi-square test performed to determine significance level of each of the independent variable with adoption of innovations.

#### RESULTS AND DISCUSSIONS

### **Demographic Characteristics of Respondents**

Results of the study reveale that 50% of the farmers earn income less than or equal to 100 Ghana cedi per annum from sheep whereas 43% of the respondents earn income above 100 Ghana cedi per annum from sheep. Majority of the respondents (91%) do not have access to any form of credit whereas 59% of the respondents never had extension contact. Sixty two percent (62%) of the respondents have an average of 10 years experience of rearing small ruminants compared to 22% who have had farm education exposure.

Out of the 120 sampled farmers 31 and 89 belonged to the adopted and the not adopted categories, respectively. On supplementary feeding, 103 respondents adopted, while 17 did not adopt it. Adopted and not adopted categories were 22 and 98 respondents respectively for record keeping. Regarding forage preservation and utilization, 45 adopted whiles 75 respondents did not adopt. On prophylactic treatment, 95 and 25 belonged to the adopted and not adopted categories. 90 and 30 respondents also belonged

to the adopted and not adopted categories with regard to general care and management. On improved breeding, 8 and 112 belonged to the adopted and not adopted categories respectively.

Generally access to information on innovations was widespread. Out of the 120 respondents who were interviewed, 98.8% of them had access to information on improved housing, 99.2% on supplementary feeding, 98.3% on prophylactic treatment and 95.8% on forage preservation and utilization. Ninety percent each had access to information on record keeping and tagging (Table 1).

**Table 1: Distribution by access to information on the innovations** 

	Fre	Frequency	
Innovation	Yes (%)	No (%)	Total
Improved housing	118 (98.3)	2 (1.7)	120
Supplementary feeding	119 (99.2)	1 (0.8)	120
Record keeping	108 (90.0)	12 (10.0)	120
Forage preservation and utilization	115 (95.8)	5 (4.2)	120
Prophylactic treatment	118 (98.3)	2 (1.7)	120
General care and management	119 (99.2)	1 (0.8)	120
Improved breeding	112 (93.3)	8 (6.7)	120
Castration	116 (96.7)	4 (3.3)	120

Source: Field survey, 2008.

### **Improved housing**

Housing has been identified to be one of the most important husbandry practices. Housing leads to decrease in theft and motor accident. It also helps to reduce the number of scavenging animals. In addition, confined animals are free from weather vagaries such scorching sun, rain beatings, dangerous wind and cold; and makes it easier to intervene in feeding, watering, health care and effective breeding. Under the improved housing farmers are encouraged to construct houses with their own style but ensuring that it has

good ventilation for the animals and good enough to prevent adverse weather condition such as rain, cold and wind.

Socio-economic characteristics such as number of goats, number of sheep, income from goats and farming experience were found not to show statistical significant relationship (p>0.05) with respect to adoption of improved housing (Table 2), which implies that number of sheep, number of goats, income from goats and farming experience do not influence adoption of innovations. However, socio-economic characteristics such as income from sheep, credit access, extension contact and farm education exposure were found to have significant relationship (p<0.05) with adoption, which implies these socioeconomic characteristics influence adoption of innovations. This can be attributed to the fact that those who earn much income from the livestock attach more value to it, and therefore are more willing to adopt innovations that will enhance their production. The findings confirm that of Lionberg and Coughenour (1957), Wilson and Gallup (1955) all in Lionberger (1960) who reported that farmers with high farm income tend to have high farm practice adoption levels. Access to credit provides farmers the ability to purchase basic drugs for treatment of animal diseases. Credit also enables farmers to provide better housing for animals. Extension services empower small ruminants farmers in terms of improved knowledge in animal production. The farmers explained that through extension services they are capable of providing 'good care' for their animals and to keep simple records on farm activities.

Table 2: Distribution of socio-economic characteristics and levels of adoption of improved housing

Characteristics Level of adoption of improved Test and						
Characteristic	S		acpiton of timp	rovea	Test and	
		housing			interpretation	
	T	Adopted	Not adopted	Total		
Number of	<10	10	33	43	$\chi^2 = 0.781 \text{ df} = 1$	
sheep kept	≥10	19	42	61	0.4>p>0.3	
	Total	29	75	104	Not significant	
Number of	<10	17	44	61	$\chi^2 = 0.004 \text{ df} = 1$	
goats kept	≥10	9	24	33	1.0>p>0.9	
	Total	26	68	94	Not significant	
Income from	≤100 (GH¢)	12	48	60	$\chi^2 = 4.384 \text{ df} = 1$	
sheep /year	>100 (GH¢)	17	27	44	0.03 <p<0.04< td=""></p<0.04<>	
	Total	28	75	104	Significant	
Income from	≤50 (GH¢)	16	34	50	$\chi^2=1.006 \text{ df}=1$	
goats/year	>50 (GH¢)	10	34	44	0.4>p>0.3	
	Total	26	68	104	Not significant	
Credit	Yes	6	4	10	$\chi^2 = 6.647 \text{ df} = 1$	
access	No	25	85	110	0.02 <p<0.01< td=""></p<0.01<>	
	Total	31	89	120	Significant	
Extension	Never	13	58	71	$\chi^2 = 5.137 \text{ df} = 1$	
contact	At least a month	18	31	49	0.02 <p<0.03< td=""></p<0.03<>	
	Total	31	89	120	Significant	
Farming	<10 years	12	33	45	$\chi^2 = 0.026 \text{ df} = 1$	
experience	≥10 years	19	56	75	0.9>p>0.8	
	Total	31	89	120	Not significant	
Farm educ.	Yes	11	15	26	$\chi^2 = 4.668 \text{ df} = 1$	
Exposure	No	20	74	94	0.03 <p<0.04< td=""></p<0.04<>	
	Total	31	89	120	Significant	

**Source:** Field survey, 2008.

## **Supplementary feeding**

Ruminants in Ghana are mainly produced in the range. Herbage growth on the range is dependent on rains. There are two peaks rainfall (March to August, September to December) in the forest belt and single peak (May to December) in the Savanna areas (MOFA, 2008). During the wet season livestock do not face much problem with feed; however there is usually serious feed crisis during the dry periods which affect production. Adequate supplementary feeding helps the animals to get the necessary

nutrients for growth and for production all year round, and thus increase income for farmers. As such farmers are trained and encouraged to feed their livestock with some selected feed resources such as crop residue (e.g. maize husk, maize chaff, rice straw, corn chaff and groundnut vines), agro byproducts (e.g. yam peels, cassava peels, Pigeon pea waste).

Figures in Table 3 indicate that the number of sheep, number of goats and sheep, income from goats, access to credit, farming experience and farm education exposure are not significant (p>0.05) in explaining adoption of supplementary feeding. Extension contact showed a significant relationship (0.02<p<0.03) with adoption of supplementary feeding. The implication is that extension contacts do influence adoption of supplementary feeding. Extension contacts probably create awareness and equip the people with more knowledge that help them to understand the technologies better and therefore are able to implement them easily. The findings are similar to that of Adesina et al (2001) that the rate of adoption is higher among farmers who had contacts with extension agencies.

Table 3: Distribution of socio-economic characteristics and levels of adoption of

supplementary feeding

Characteristics		Level of adop	Test and		
		feeding	11	•	interpretation
		Adopted	Not adopted	Total	
Number of	<10	38	5	43	$\chi^2 = 0.086 \text{ df} = 1$
sheep kept	≥10	55	6	61	0.8>p>0.7
	Total	93	11	104	Not significant
Number of	<10	54	7	61	$\chi^2 = 2.603 \text{ df} = 1$
goats kept	≥10	25	8	33	0.2>p>0.1
	Total	79	15	94	Not significant
Income	≤100 (GH¢)	52	8	60	$\chi^2 = 1.139 \text{ df} = 1$
from sheep	>100 (GH¢)	41	3	44	0.3>p>0.2
	Total	93	11	104	Not significant
Income	≤50 (GH¢)	42	8	50	$\chi^2 = 0.000 \text{ df} = 1$
from goats	>50 (GH¢)	37	7	44	1.0>p>0.9
	Total	79	15	94	Not significant
Credit	Yes	9	1	10	$\chi^2 = 0.156 \text{ df} = 1$
access	No	94	16	110	0.7>p>0.6
	Total	103	17	120	Not significant
Extension	Never	57	14	71	$\chi^2 = 4.407 \text{ df} = 1$
contact	At least a month	46	3	49	0.03 <p<0.04< td=""></p<0.04<>
	Total	103	17	120	Significant
Farming	<10 years	42	3	45	$\chi^2 = 3.331 \text{ df} = 1$
experience	≥10 years	61	14	75	0.07>p>0.06
	Total	103	17	120	Not significant
Farm educ.	Yes	22	4	26	$\chi^2 = 0.040 \text{ df} = 1$
Exposure	No	81	13	94	0.9 > p > 0.8
	Total	103	17	120	Not significant

Source: Field survey, 2008.

## **Record keeping**

Record keeping helps farmers to be able determine breeding programs. It also helps the farmer to be able to determine the performance level of each animal and also to keep in track the ages of each animal for the purposes of health care, breeding, identification and marketing. Farmers are encouraged to keep records on birth and death, breeding, vaccination and marketing. The figures in Table 4 show that socio-economic characteristics such as number of goats , number of sheep , income from goats and sheep, extension contacts, farming experience and farm education exposure had no significant relationship (p>0.05) with adoption of record keeping. The findings are not in conformity with the hypothesis of Jatoe et al. (2005) that household with larger farm size are more likely to adopt new technologies. It also did not agree with Rahman's (2007) which found a significant relationship between farming experience and adoption of innovations. However, access to credit showed a significant relationship (p<0.01) with adoption of record keeping, implying that credit access do influence adoption of innovations. Credit enables farmers to invest in animal hosing and drugs as well as for meeting emergency expenditure on the upkeep of animals<sup>3</sup>.

\_\_\_

<sup>&</sup>lt;sup>3</sup> Record keeping in some instances can also assist farmers to acquire credit.

Table 4: Distribution of socio-economic characteristics and level of adoption of

record keeping

Characteristics	5	Level o	f adoption of re	ecord keeping	Test and
		Adopt	Not adopted	Total	interpretation
		ed			
Number of	<10	7	36	43	$\chi^2 = 0.411 \text{ df} = 1$
sheep kept	≥10	13	48	61	0.6 > p > 0.5
	Total	20	84	104	Not significant
Number of	<10	12	49	61	$\chi^2 = 0.295 \text{ df} = 1$
goats kept	≥10	5	28	33	0.6 > p > 0.5
	Total	17	97	94	Not significant
Income from	≤100 (GH¢)	11	49	60	$\chi^2 = 0.74 df = 1$
sheep	>100 (GH¢)	9	35	44	0.8>p>0.7
	Total	20	84	104	Not significant
Income from	≤50 (GH¢)	12	38	50	$\chi^2 = 2.523 \text{ df} = 1$
goats	>50 (GH¢)	5	39	44	0.2>p>0.1
	Total	17	77	94	Not significant
Credit access	Yes	6	4	10	$\chi^2 = 12.650 \text{ df} = 1$
	No	16	94	110	0.001 <p<0.002< td=""></p<0.002<>
	Total	22	98	120	Significant
Extension	Never	11	60	71	$\chi^2 = 0.937 \text{ df} = 1$
contact	At least a month	11	38	49	0.4>p>0.3
	Total	22	98	120	Not significant
Farming	<10 years	8	37	45	$\chi^2 = 0.015 \text{ df} = 1$
experience	≥10 years	14	61	75	0.10>p>0.09
	Total	22	98	120	Not significant
Farm educ.	Yes	13	13	26	$\chi^2 = 2.213 \text{ df} = 1$
Exposure	No	32	62	94	0.2>p>0.1
	Total	45	75	120	Not significant

**Source:** Field survey, 2008.

# Forage preservation and utilization

Forage preservation and utilization helps farmers to get balanced rations for their livestock throughout the year. Under forage preservation and utilization, farmers are encouraged to dry and store feed resources such as crop residue and agro by product. Farmers are also encouraged to institute fodder banks by planting some leguminous plants and to use them to feed their livestock. In addition to these farmers are also

encouraged to treat their crop residue especially rice straw with urea in order to increase their nutrient content.

Extension contact was found to have a significant relationship (p<0.01) with respect to adoption of forage preservation and utilization (Table 5). All other socio-economic characteristics considered did not show a significant relationship (p>0.05). The implication is that extension contacts do influence level of adoption of forage preservation and utilization. Thus, through extension contact, farmers are able to understand, preserve and use forage well. Also regular contacts with extension staff could serve as source of motivation to the people, and therefore influence their decision to adopt innovation.

Table 5: Distribution of socio-economic characteristics and level of adoption of

forage preservation and utilization

Characteristic	S	Level of add	option of forage		Test and
		preservation	preservation and utilization		interpretation
		Adopted	Not adopted	Total	
Number of	<10	20	23	43	$\chi^2 = 0.531 \text{ df} = 1$
sheep kept	≥10	24	37	61	0.5>p>0.4
	Total	44	60	104	Not significant
Number of	<10	24	37	61	$\chi^2 = 1.370 \text{ df} = 1$
goats kept	≥10	9	24	33	0.3>p>0.2
	Total	33	61	94	Not significant
Income from	≤100 (GH¢)	23	37	60	$\chi^2 = 0.918 \text{ df} = 1$
sheep	>100 (GH¢)	21	23	44	0.4>p>0.3
	Total	44	60	104	Not significant
Income from	≤50 (GH¢)	15	35	50	$\chi^2 = 1.223 \text{ df} = 1$
goats	>50 (GH¢)	18	26	44	0.3>p>0.2
	Total	33	61	94	Not significant
Credit	Yes	9	1	10	$\chi^2 = 0.156 \text{ df} = 1$
access	No	94	16	110	0.7>p>0.6
	Total	103	17	120	Not significant
Extension	Never	16	55	71	$\chi^2 = 16.614 \text{ df} = 1$
contact	At least a month	29	20	49	0.001 <p<0.002 Significant</p<0.002 
	Total	45	75	120	Significant
Farming	<10 years	42	3	45	$\chi^2=3.331 \text{ df}=1$
experience	≥10 years	61	14	75	0.07 > p > 0.06
	Total	103	17	120	Not significant
Farm educ.	Yes	13	13	26	$\chi^2 = 2.213 \text{ df} = 1$
Exposure	No	32	62	94	0.2 > p > 0.1
	Total	45	75	120	Not significant

**Source:** Field survey, 2008.

# **Prophylactic treatment**

Prophylactic treatment helps to prevent animals from disease infection. It also leads to improved health care and hence an increase in livestock population and consumption of healthy meat. Many small ruminant farmers in the Northern region lose a lot of animals to pest and diseases. The unwillingness of farmers to provide health care to these animals is the main cause of it. In view of that, farmers are encouraged to regularly vaccinate their animals against preventable diseases such as anthrax and Pestes des petite ruminants (PPR) yearly to prevent their livestock from being wiped off during periods of epidemics. Also, they are expected to regularly de-worm and de-tick their animals to prevent them from infestation. To ensure that farmers in the communities had access to some prophylactic treatment, some community members known as the 'community livestock workers' are given some training on some basic skills in de-worming and de-ticking to be able to render services to colleagues to reduce the impact of disease infection.

As shown in Table 6, apart from extension contact and farming experience which showed significant relationship (p<0.05) with adoption of prophylactic treatment, the rest did not exhibit any significant relationship (p>0.05). The implication is that socio-economic characteristics such as extension contact and farming experience do influence adoption of prophylactic treatment. The findings agree with that of Adesina et al (2001) that the rate of adoption is higher among farmers who had contacts with extension agencies.

Table 6: Distribution of socio-economic characteristics and level of adoption of

prophylactic treatment

Characteristics		Level of adop	Test and		
		treatment			interpretation
		Adopted	Not adopted	Total	
Number of	<10	32	11	43	$\chi^2 = 0.862 \text{ df} = 1$
sheep kept	≥10	50	11	61	0.4>p>0.3
	Total	50	22	104	Not significant
Number of	<10	46	15	61	$\chi^2 = 0.136 \text{ df} = 1$
goats kept	≥10	26	7	33	0.8>p>0.7
	Total	72	22	94	Not significant
Income from	≤100 (GH¢)	44	16	60	$\chi^2 = 2.584 \text{ df} = 1$
sheep	>100 (GH¢)	38	6	44	0.2>p>0.1
	Total	82	22	104	Not significant
Income from	≤50 (GH¢)	37	13	50	$\chi^2 = 0.401 \text{ df} = 1$
goats	>50 (GH¢)	35	9	44	0.6 > p > 0.5
	Total	72	22	94	Not significant
Credit	Yes	10	0	10	$\chi^2 = 2.871 \text{ df} = 1$
access	No	85	25	110	0.09>p>0.08
	Total	95	25	120	Not significant
Extension	Never	50	21	71	$\chi^2 = 8.061 \text{ df} = 1$
contact	At least a month	45	4	49	0.005 <p<0.006< td=""></p<0.006<>
	Total	95	25	120	Significant
Farming	<10 years	40	5	45	$\chi^2 = 4.126 \text{ df} = 1$
experience	≥10 years	55	20	75	0.04 <p<0.05< td=""></p<0.05<>
	Total	95	25	120	Significant
Farm educ.	Yes	23	3	26	$\chi^2 = 1.739 \text{ df} = 1$
Exposure	No	72	22	94	0.187>p>0.186
	Total	95	25	120	Not significant

Source: Field survey, 2008.

## General care and management

General care and management helps to ensure healthy living of the animals and increase production. Under the general care and management, farmers are encouraged to ensure good sanitation in their flocks by regularly cleaning the farm house and bathing the animals especially sheep occasionally. They are also encouraged to feed and water the animals regularly, trim their hooves when they are overgrown, house them properly,

regularly provide health care and generally respect the right of the animals. Apart from extension contact which exhibited a significant relationship (0.005<p<0.006) with adoption of general care and management, the rest of the socio-economic characteristics never showed any significant relationship (p>0.05) with respect to general care and management. The implication is that extension contacts do influence adoption of general care and management. These findings could be ascribed to the fact that the extension contact helped the farmer to understand and appreciate the importance of the innovations. Also extension officers' contact with farmers motivated them to pay greater attention to issues that will improve their farming practices.

Table 7: Distribution of socio-economic characteristics and level of adoption of general care and management

Characteristics		Level of adoption of general care			Test and
		and mana	gement		interpretation
		Adopted	Not adopted	Total	
Number of	<10	30	13	43	$\chi^2 = 1.540 \text{ df} = 1$
sheep kept	≥10	49	12	61	0.3>p>0.2
	Total	79	25	104	Not significant
Number of	<10	45	16	61	$\chi^2 = 0.178 \text{ df} = 1$
goats kept	≥10	23	10	33	0.7>p>0.6
	Total	68	26	94	Not significant
Income from	≤100 (GH¢)	41	19	60	$\chi^2 = 4.519 \text{ df} = 1$
sheep	>100 (GH¢)	38	6	44	0.03 <p<0.04< td=""></p<0.04<>
	Total	79	25	104	Significant
Income from	≤50 (GH¢)	36	14	50	$\chi^2 = 0.006 \text{ df} = 1$
goats	>50 (GH¢)	32	12	44	1.0>p>0.9
	Total	68	26	94	Not significant
Credit	Yes	9	1	10	$\chi^2 = 1.309 \text{ df} = 1$
access	No	81	29	110	0.3>p>0.2
	Total	90	30	120	Not significant
Extension	Never	50	21	71	$\chi^2 = 8.061 \text{ df} = 1$
contact	At least a month	45	4	49	0.005 <p<0.006< td=""></p<0.006<>
	Total	95	25	120	Significant
Farming	<10 years	37	8	45	$\chi^2 = 2.003 \text{ df} = 1$
experience	≥10 years	53	22	75	0.2>p>0.1
	Total	90	30	120	Not significant
Farm educ.	Yes	23	3	26	$\chi^2 = 3.208 \text{ df} = 1$
Exposure	No	67	27	94	0.08>p>0.07
G 5: 11	Total	90	30	120	Not significant

Source: Field survey, 2008.

#### Castration

Castration helps to prevent inbreeding, eliminate undesirable characters from a flock and fatten the animals for good market. Under the castration farmers are encouraged to castrate all the non breeding male animals and allow them to grow well for better market. To ensure that farmers had access to castration, some community members known as 'community livestock workers' are trained to be able to carry out closed castration in their respective communities. As indicated in Table 8, none of the socio-economic

characteristics considered exhibited no any significant relationship (p>0.05) with respect to adoption of castration. This implies that socio-economic characteristics do not influence adoption of castration. Most of the people do not castrate their sheep because they do not use castrated sheep for naming ceremonies and Moslem sacrifice; and therefore are afraid of not accessing the dominant local market for livestock, since they rely heavily on the local market. Further, most farmers explained that a castrated animal takes more time to mature, and therefore cannot be sold immediately when they need cash.

Table 1: Distribution of socio-economic characteristics and level of adoption of castration

Characteristics		Level of adoption of castration		Test and	
		Adopted	Not adopted	Total	interpretation
Number of	<10	9	34	43	$\chi^2 = 0.136 \text{ df} = 1$
sheep kept	≥10	11	50	61	0.8>p>0.7
	Total	20	84	104	Not significant
Number of	<10	13	48	61	$\chi^2 = 1.628 \text{ df} = 1$
goats kept	≥10	11	22	33	0.3>p>0.2
	Total	24	70	94	Not significant
Income from	≤100 (GH¢)	10	50	60	$\chi^2 = 0.600 \text{ df} = 1$
sheep	>100 (GH¢)	10	34	44	0.5>p>0.4
	Total	20	84	104	Not significant
Income from	≤50 (GH¢)	12	38	50	$\chi^2 = 0.132 \text{ df} = 1$
goats	>50 (GH¢)	12	32	44	0.8>p>0.7
	Total	24	70	104	Not significant
Credit	Yes	1	9	10	$\chi^2 = 0.776 \text{ df} = 1$
access	No	24	86	110	0.4>p>0.3
	Total	26	95	120	Not significant
Extension	Never	15	56	71	$\chi^2 = 0.009 \text{ df} = 1$
contact	At least a month	10	39	49	0.924>p>0.923
	Total	25	95	120	Not significant
Farming	<10 years	11	34	45	$\chi^2 = 0.569 \text{ df} = 1$
experience	≥10 years	14	61	75	0.5>p>0.4
	Total	25	95	120	Not significant
Farm educ.	Yes	8	18	26	$\chi^2 = 1.987 \text{ df} = 1$
Exposure	No	17	77	94	0.2>p>0.1
	Total	25	95	120	Not significant

**Source:** Field survey, 2008.

### **Improved breeding**

Improved breeds are relatively bigger and thus have good market value. Also they are more resistant to diseases. Farmers were found to be breeding the local ones which had relatively smaller body size and thus do not attract good market. Therefore, the livestock policy programs came out with improved breeding system. Under the improved breeding system, farmers are encouraged to cross the *Djallonke* with the *Sahelian* sheep, and also to cross the West African Dwarf and Sahelian goats to obtain a hybrid with advantageous characteristics. Selection of good ones among the local breeds for breeding is also encouraged. To ensure that farmers had access to these improved breeds, some farmers were selected under the nuclear breeding program to represent the breeding stations and to breed the improved breeds and sell to other farmers. Cattle, sheep, goats, pigs, rabbits and cutters breeding were intensified under NLSP. Essentially, it involved the genetic improvement of the livestock using the open nucleus breeding scheme (ONBS) and the improvement of the numerical count of population of various livestock using the out breaker scheme.

Figures in Table 9 indicate that socio-economic characteristics such as number of sheep and farm education exposure have significant relationship (p<0.05) with respect to adoption of improved breeding. The implication is that number of sheep and farm education exposure do influence adoption of improved breeding. Those who have access to farm education gain more experience and tend to appreciate the importance of improved breeds. The findings agree to Rahman's (2007) who found a positive and

significant relationship with respect to farm education exposure and adoption of improved technologies.

Table 2: Distribution of socio-economic characteristics and level of adoption of

improved breeding

Characteristic	0	Level of adoption of improved			Test and
		breeding	copular or imp	3,30	interpretation
		Adopted	Not adopted	Total	F
Number of	<10	2	41	43	$\chi^2 = 0.505 \text{ df} = 1$
sheep kept	≥10	5	56	61	0.5>p>0.4
	Total	7	97	104	Not significant
Number of	<10	2	59	61	$\chi^2$ =6.109 df=1
goats kept	≥10	6	27	33	0.02 <p<0.01< td=""></p<0.01<>
	Total	8	86	94	Significant
Income from	≤100 (GH¢)	3	57	60	$\chi^2 = 0.688 \text{ df} = 1$
sheep	>100 (GH¢)	4	40	44	0.5>p>0.4
	Total	7	97	104	Not significant
Income from	≤50 (GH¢)	3	47	50	$\chi^2 = 0.865 \text{ df} = 1$
goats	>50 (GH¢)	5	39	44	0.4>p>0.3
	Total	8	86	94	Not significant
Credit	Yes	1	9	10	$\chi^2 = 0.195 \text{ df} = 1$
access	No	7	103	110	0.7>p>0.6
	Total	8	112	120	Not significant
Extension	Never	4	67	71	$\chi^2 = 0.298 \text{ df} = 1$
contact	At least a month	4	45	49	0.6 > p > 0.5
	Total	8	112	120	Not significant
Farming	<10 years	11	34	45	$\chi^2 = 0.596 \text{ df} = 1$
experience	≥10 years	14	61	75	0.5>p>0.4
	Total	25	95	120	Not significant
Farm educ.	Yes	5	21	26	$\chi^2 = 8.421 \text{ df} = 1$
Exposure	No	3	91	94	0.004 <p<0.005< td=""></p<0.005<>
	Total	8	112	112	Significant

Source: Field survey, 2008.

## Conclusions

The present study was undertaken to assess the extent to which innovations introduced to the farmers in the study area are adopted and to determine the factors which influence adoption of small ruminants' innovations. The results show that poor husbandry practices affect small ruminant production in the Tolon-Kumbungu district. This is partly caused

by lack of adoption of innovations; and innovations have to be adopted to ensure high productivity. The study also revealed that some socio-economic factors do influence the adoption of small ruminant innovations. Particularly, credit access, extension contact and farm education exposure significantly explain—adoption of improved housing. Further, credit accessibility is significant for the adoption of record keeping. Extension contact does influence adoption of forage preservation and utilization. Both extension contact and farming experience are significant in terms of adoption of prophylactic treatment. Extension contact and income from sheep do influence adoption of general care and management. In addition, both extension contact and access to credit influence adoption of tagging. The number of goats and farm education exposure do influence adoption of improved breeding. Costs of innovation, selective contacts by extension agents, lack of sufficient knowledge of the innovations, contradiction of innovations with certain parts of culture were some of the limiting factors to adoption of innovations.

### **Policy Recommendations**

Extension contact was significant with respect to most of the innovations. This shows that there is a strong link between extension contact and level of adoption of innovations. Farmers who have regular extension contact have constant solutions to their problems compared with those farmers without regular visits. Unfortunately, the whole study area lacks a livestock production expert. Therefore, the study recommends that more Agricultural Extension Staff be trained by government to fill numerous vacancies in the area.

Access to credit helps farmers to increase small ruminants' production and those who received some form of credit had high adoption of the innovations as compared to others without credit. Small ruminant farmers who had access to credit complained of high interest rates. The study therefore recommends that steps be taken by government to make credit source available, accessible and affordable to farmers.

#### REFERENCES

- Adesina A.A., Mbila D., Nkamleu G.B. & Endamana D. (2001). Econometric analysis of the determinants of adoption of alley farming by farmers in the forest zone of southwest Cameroon. Agriculture, Ecosystems and Environment 80:255-265.
- Agtax, Wren (1996). *Taking goat for granted*. In Ghanaian Times. January 16, 1996, pp 6.Christian Aggrey (ed.)
- Ajala M. K. (2004). *Household decision-making in the production of small ruminants in Giwa Local Government Area of Kaduna State of Nigeria*. In: Proceedings of the 29<sup>th</sup> Annual Conference of the Nigerian Society of Animal Production, 21<sup>st</sup>-25<sup>th</sup> March, 2004. Sokoto, Nigeria. Pp 399-402.
- Feder, G., Just R.E., & Zilberman D. (1982). *Adoption of agricultural innovations in developing countries*: A study. World Bank Staff. Working paper, 542.
- Dei H.K., Konadu K.O, Otchere E.O. & Djang-Fordjour K.T. (2007). *Housing of small ruminants in the Tolon-Kumbungu district of the northern region of Ghana*. Proceedings of the fifteenth Biennial Conference .KNUST-Kumasi pp85-88.
- Harrison, R.E. (1986). The role of improved pastures in commercial production in the tropics and sub-tropics (The Harry Stobbs memorial lecture for 1985) Trop. Grasslands 20(2), 3-17.
- Huq, M. M. (1989). <u>The economy of Ghana.</u> The first 29 years after independence. Macmillan press Ltd.
- Institute for Social, Statistics, and Economic Research (2004). The state of Ghanaian economy in 2003. University of Ghana.
- Institute for Social, Statistics, and Economic Research (2006). The state of Ghanaian economy in 2005. University of Ghana. Pp106-130.
- Jabbar, M. A. (1990). *Socio-economic aspects of diffusion and adoption of alley farming*. Paper presented at Alley Farming training Course, IITA, Ibadan, Nigeria,. P. 6-10.
- Jatoe, J B D, Al-Hassan, R M and Abatania, L N. 2005. "Factors Affecting the Adoption of Improved Sorghum Varieties among Farm Households in Northwest Ghana: A Probit Analysis", *Ghana Journal of Development Studies*, pp. 37-50.
- Koney, E.M.B. (1992). *Livestock Production and health in Ghana*. Advent Press, Accra Ghana.

- Kinnucan, H., Hatch, U., Molnar, J., & Pendergrass, R. (1990). *Adoption and diffusion potentials for bovine somatotropin in Southeast dairy industry*. Bulletin 605. Auburn University, Alabama, USA.
- Latoper, U. (2001). Livestock production systems in urban and peri-urban areas of Tamale. B.Sc. (Agric Tech.) Dissertation, University for Development studies, Tamale.
- Lionberger, H.F, & Coughenour, C.M. (1957). Social structure and diffusion of farm information in Columbia. Missouri agriculture Experiment Station Research bulletin 631.
- Lionbergger, H.F (1960). Adoption of new technologies and practices. Iowa State University press.
- LDP (2003). *Project document*. Ministry of Food and Agriculture, Ghana.
- MOFA (2007). Annual report.
- Ogunlana, E.A. (2003). *The Technology Adoption of Women Farmers*: The case of alley farming in Nigeria. Extracted on the 5<sup>th</sup> August, 2008. Extracted from htt://journals. Cambridge.org/download.php?file=%2FRAF%2FRAF.
- Rahman,S (2007). Adoption of improved technologies by pig farmers of Aizawl district of Mizoran, India. Department of veterinary and Animal Husbandry Extension, College of Vetrinary Sciences and Animal Husbandry, Central Agriculture University, Selesih, Aizawl, Mizoram-796014, India. Pp 1-10.
- Rogers, E. (2003). *Diffusion of innovations*. The free Press, New York.
- Sheth, J.N., Mittal, B., and Newman, B. I. 1999. *Customer Behavior: Consumer behavior and beyond*. The Dryden Press, Harcourt Brace College publishers. New York.
- Tolon-Kumbungu District Assembly. 2008. "Tolon-Kumbungu district profile", TKDA.
- Turner,H.N (2007). *Sheep production research*: The development of small ruminants in the developing countries. file://c:/DocumentsandSettings/NAMA/Desktop/T.T/small ruminant 1.htm Assessed on 31<sup>st</sup> January, 2007

- Upton,M. (1985). *Modules of improved production system for small ruminants*. Sheep and production in humid West Africa. Proceedings of the workshop on small ruminant production system of West Africa held in Ibadan. Nigeria. January 23-26,1984 pp 55-67.
- Vetrinary Services Department (VSD). (1997). National livestock Census. Livestock and information Planning Unit, Veterinary Services Department, Accra, Ghana.
- Weil, P.M (1970). *The introduction of the ox plow in central Gambia*. In P.F. MacLaughlin. (ed). African food production systems: Cases and theory. The John Hopkins University press.
- Wilson, M.C., & Gallup G. (1955). Extension teaching methods and other factors that influence adoption of agricultural and home economics practices. Washington D.C, US. Department of agriculture, Federal Extension Service Circular 495.